STAIN TECHNOLOGY

GENERAL INDEX

VOLUMES I-V

1926–1930

Published by the
COMMISSION ON STANDARDIZATION OF BIOLOGICAL STAINS
GENEVA, N. Y., U. S. A.

INDEX

VOLUMES 1 TO 5 INCLUSIVE

Absorption ratios of biological stains, **5**, 65
Acetic-methyl green, **5**, 117
Aceto-carmin, **4**, 53, 54; **5**, 117
Aceto-carmin smears, method for making permanent, **4**, 53
Acid fuchsin, **2**, 50–55, 125; **3**, 57, 60, 64, 81, 88, 89, 90, 92; **4**, 12, 13, 21, 23, 30, 32, 34, 35, 62, 63, 70, 81–86, 96, 97, 98, 113, 115, 123, 133; **5**, 2, 3, 4, 8–10, 32, 35, 36, 38, 62, 67, 69, 99, 111, 122, 123, 124, 127, 153
  with methyl green, **5**, 152
  as a stain—a refinement in manufacture, **2**, 50
Acid violet, **5**, 123
Acriflavine, **4**, 105
Acriviolet, **4**, 105
Activity of the thyroid gland in relation to the staining reactions of the colloids (abs), **4**, 31
Addition products of dyes, possible explanation of stain action, **1**, 98
Air distributor for use in the drop method of dehydration, **1**, 70
Adjustment of the concentration of vital stains by colorimetric methods, **2**, 19
Alcohol, ethyl, substitute for in the Gram stain, **3**, 71
Algae, staining of, **2**, 91
Alizarin, **2**, 48; **3**, 113; **4**, 37; **5**, 68, 112, 119, 123
  solubility of, **2**, 48; **3**, 13
Alizarin molybdic acid lake, **5**, 112
Alizarin red S, **5**, 68
  staining cleared specimens of skeleton with, **1**, 123
Alizarin W, solubility of, **3**, 13
Alizarole orange G, solubility of, **3**, 12
  yellow GW, solubility of, **3**, 12
Alkanna roots, extract, **4**, 38
Alkannin, **4**, 40
Allen, Ezra. Mordanting with used Flemming's killing fluid, **2**, 62
Alum-hematoxylin, **4**, 38, 39, 40–43
Amaranth, **5**, 67
  solubility of, **3**, 12
Ambrogi, L. P. Rapid paraffin embedding method, **5**, 34
Amendment to constitution, **4**, 71
Ammonia carmin, **4**, 41
Ammoniacal hematein, **4**, 46
Ammonium carminate, **3**, 117
Analysis of neutral red and of pyronins, **5**, 91
Anderson, B. B.; J. Kisser and. Method of preparing thin cross and longitudinal sections of cotton fibers and its importance in cell wall research (abs), **4**, 93
Anilein, **5**, 4
Anilin, **4**, 40
Anilin blue alc. sol., **5**, 68
  solubility of, **3**, 13
Anilin blue w. s., **2**, 91, 93; **4**, 82, 133; **5**, 3–7, 10, 32, 68, 109, 154
  specifications of, **2**, 27
Anilin-blue-orcein, Unn_'s, **5**, 155
Anilin blue, picro, **4**, 95
Anilin brown, **5**, 43
Anilin dyes, inhibitory properties of, **1**, 27
Anilin dyes, in histology, **5**, 3
Anilin methyl violet, **5**, 33
Anilin purple, **5**, 3
Anilin red, **5**, 4, 5
Anilin violet, **5**, 3, 4
Anisol statt Zedernöl als Immersionsmittel nach Becher (abs), **4**, 133
Anthraquinon, **3**, 29, 30, 31
Aoyama, Fumio. Eine Modifikation der Cajalschen Methode zur Darstellung des Golgischen Binnenapparates (abs), **5**, 75
Apparatus for holding cover slips during fixation, **4**, 59
Application of dyes in the cancer problem, **5**, 49
Arkush, A. S.; F. Proescher, and. Metallic lakes of the oxazines (gallamin blue, gallocyanin and coelestin blue) as nuclear stain substitutes for hematoxylin, **3**, 28
Arnold, Lloyd. Gustav Mann, 1864–1921, **2**, 4
Ashenfelter, Mabel; Victor Burke and. Notes on the Gram stain II, **1**, 63
Atmospheric oxidation, or dealkylation, of aqueous solutions of methylene blue, **4**, 7
Auramin, solubility of, **2**, 45; **5**, 67
Auramin O, solubility of, **3**, 13
Aurantia, **3**, 58; **4**, 13, 96, 123
  solubility of, **3**, 12
Aurin, solubility of, **2**, 47
Azo acid yellow, solubility of, **4**, 74
Azo bordeaux, solubility of, **3**, 12
Azure, **4**, 123; **5**, 89, 123, 128, 130, 133
Azure A, **2**, 37, 38; **3**, 131, 133–138; **4**, 82, 83, 98; **5**, 62, 81, 84, 85, 131, 132
  staining properties compared with chemical formula, **2**, 8–15
Azure A and azure C, preparation of, **1**, 17
Azure B, **2**, 39, 71–73; **3**, 45, 46, 47, 131, 133–136, 138; **4**, 82, 83, 121, 124

staining properties compared with chemical formula, **2**, 8–15
Azure C, **2**, 37; **3**, 122, 129, 131, 133, 134, 135, 136, 138; **4**, 124; **5**, 131
as tissue stain, **1**, 22, 25, 68, 79
staining properties compared with chemical formula, **2**, 8–15
Azure-eosin, **4**, 63; **5**, 61, 62
Azure I, **5**, 81, 131
Azure II, **4**, 136; **5**, 131
Azure II-eosin, **4**, 136; **5**, 131
Azure stains, **1**, 107

Bacteria, detailed differentiation of, by means of mixture of acid and basic dyes at different pH-values, **4**, 81
isoelectric point of, **3**, 87
negative staining of, **5**, 25
variation in staining character as related to reserve food material within the organism, **4**, 105
stained in soil, **1**, 87, 125
Bacteria and mitochondria, double staining of, in plant tissues, **4**, 13
Bacteria and yeasts, some staining methods for, **4**, 21
Bacterial spores stained with carbol fuchsin, **1**,105
Bacterial spores stained with Wright's stain, **3**, 140
Bacteriological staining methods, development of, **5**, 39
Bacteriostatic work, dyes for, **5**, 1
Baer, Flora. An apparatus for holding cover slips during fixation, **4**, 59
Baginski, S. Sur la detection histochimique de l'adrenaline (abs), **4**, 29
Bailey, H. D. A flagella and capsule stain for bacteria (abs), **5**, 109
A practical flagella and capsule stain for bacteria (abs), **5**, 151
Band, Marie; Helen H. Owen and. The Stoltenberg differential stain for diphtheria bacilli (abs), **5**, 112
Basic dyes, mechanism of stain action with, **1**, 98
Basic dyes, preparation of solutions of, **1**, 143
Basic dyes, reactions of with cyclic derivatives of an acid character, **3**, 122
Basic fuchsin, **1**, 37, 41, 49, 60, 105, 135, 143; **2**, 46, 81, 109, 113; **3**, 16, 64, 65, 66, 67, 69, 82, 122; **4**, 3, 11, 12, 21, 22, 23, 24, 31, 33, 64, 70, 98, 108, 133; **5**, 2, 3, 4, 6, 7, 31, 33, 36, 40, 43, 44, 45, 47, 62, 69, 79, 99, 101, 102, 113, 114, 116, 120, 133, 151
for staining vascular bundles, **5**, 99
Bean, R. J. Stain technic for Nissl's granules following alcohol-formol fixation, **2**, 56
Beers, C. D. The preparation of permanent slides of the rhizopod Arcella (abs), **5**, 151
Behavior of sudan III when fed with carbohydrate (abs), **5**, 153
Beitrage zur Färbung der Paschenschen Körperchen (Elementarkörperchen) (abs), **5**, 115
Belling, J. A method for the study of chromosomes in pollen-mother-cells (abs), 4, 94
Benzyl violet, **5**, 68, 70
Berlin blue, **3**, 114
Biebrich scarlet, **5**, 67
solubility of, **3**, 12
Biological stains, absorption ratios of, **5**, 65
the labeling of, **1**, 96
standardization of, **1**, 11, 49, 81, 113; **2**, 1, 33, 65, 97; **3**, 41, 105; **4**, 1, 33, 65, 97; **5**, 1, 37, 77, 156
Bismarck brown, **5**, 40, 44, 46, 109
Bismarck brown R, **2**, 45; **5**, 67
solubility of, **3**, 13
Bismarck brown Y, **4**, 98; **5**, 67
solubility of, **2**, 45; **3**, 13
Block staining of nervous tissue with silver. Studies of fixatives, lipid solvents, and reducing solutions, **5**, 139
Blood staining, history of, **5**, 127
Blood films, combined peroxidase Wright's stain for, **5**, 101
Bordeaux B, **5**, 67
Bordeaux red, **2**, 59
Bowen, Robert H. A new staining dish for handling cover-glass preparations, **4**, 57
Bratiano, S.; P. Galesesco and. Coloration des graisses par l'extrait alcolique de *Daucus carota* (abs), **4**, 62
Brazilein, **4**, 38
Brazilin, **4**, 38, 96
iron, **4**, 94
Brice, Jr., Arthur T. Note on a combined peroxidase Wright's stain for blood films, **5**, 101
Brief method for demonstration of mucin, (abs) **5**, 31
Brilliant cresyl blue, **2**, 97, 104, 125; **3**, 58; **4**, 70; **5**, 2, 38, 68, 79, 133
specifications of, **2**, 28
Brilliant croceine, solubility of, **4**, 74
Brilliant green, **2**, 24, 26, 98, 99; **4**, 23, 24, 36, 113–114; **5**, 1, 36, 68
Brilliant green bile media, **1**, 129
discussion of paper on, **2**, 24
Brilmyer, G. J. A nuclear and differential stain combined (abs), **4**, 133
Combining a nuclear and differential tissue stain (abs), **5**, 32

Bubenaite, J. Über einige Erfahrungen mit der Golgi-Methode (abs), **5**, 75
Buffered solutions, influence of staining properties of thiazin dyes, **3**, 131
Buffers, use in practical methods for control of hydrogen-ion concentration in staining procedures, **5**, 87
Burke, Victor and Ashenfelter, Mabel. Notes on the Gram stain II, **1**, 63

Cajal fiber stain, **5**, 144
Campbell, Helenor. Stain for *B. leprae* and myelin sheath, (abs) **5**, 33
Cancer problem, application of dyes in, **5**, 49
Cancer research, **5**, 77
Candle scarlet (Geigy), as a fat stain, **1**, 79
Capri blue GON, **5**, 68
Carbol acid fuchsin, **4**, 82
Carbol fuchsin, **2**, 109, 113; **3**, 130; **4**, 21, 22, 24, 25, 32; **5**, 45, 109, 115, 151
  bacterial spores stained with, **1**, 105
Carbol gentian violet, **4**, 82
Carbol-methyl-violet, **5**, 45
Carbol methylene blue, **4**, 24
Carmalum, **3**, 118; **4**, 93
Carmin, **2**, 48; **3**, 6, 7, 8, 28, 29, 30; **4**, 32, 38, 40, 41, 44; **5**, 4, 6, 31, 35, 40, 75, 79, 109, 111, 112, 118, 119
  aceto-, **3**, 112, 113, 116, 117; **4**, 53; **5**, 112
  ammoniacal, **3**, 112, 113, 115
  Beal's formula for, **3**, 113
  Best's formula for, **3**, 120
  borax, **5**, 111
  boric, **3**, 111, 112, 113
  glycerin, **5**, 119
  Grenacher's formulae for, **3**, 115, 116
  Grübler's "rubrum opticum," **5**, 112
  history of staining with, **3**, 110–120
  HCl-glycerin-, **5**, 39, 40
  Hoyer's formula for, **3**, 114
  lithia-, **3**, 118; **4**, 62
  manufacture of, **3**, 111
  Mayer's modification of Grenacher's formula, **3**, 116
  Orth's formula for, **3**, 118
  picro-, **5**, 117
  picro-indigo-, vertebrate embryos stained with, **1**, 37
  Schneider's formula for, **3**, 116
  Schwartz' formula for, **3**, 113
  Schweiger-Seidel and Dogiel's formula for, **3**, 113
  Solubility of, **2**, 48
  Thiersch's formulae for, **3**, 112, 113
Carminates, of ammonium and sodium **3**, 117
Carminic acid, **3**, 118, 119
  Mayer's formulae for, **3**, 118, 119
  Rawitz' formula for, **3**, 119
Carotin, **4**, 62
Carrots, (*Daucus carota*) extract, **4**, 62, 94
Cartwright, K. St. G. A satisfactory method of staining fungal mycelium in wood sections (abs), **4**, 94; **5**, 109
Cell constituents, staining of in diseased plant tissues, **3**, 57
Certain factors influencing the staining properties of fluorescein derivatives, **3**, 94
Certification labels, **2**, 65; **3**, 107
Certification of stains, **3**, 105–109
Cesares-Gil flagella stain, modified, **1**, 143
Chamberlain, Charles J. Staining with phloxine, **2**, 91
Chase, W. H. Rapid frozen section method for fresh tissues (abs), **5**, 33
Chazé, J. Sur le mode de formation et la détection des alcaloides dans la plantule de tabac (abs), **4**, 61
Chemical analysis of thiazin eosinates, **4**, 49
Chemical nature of metachromasy, **1**, 116
Chemical nature of decolorizer, effect of on its functioning. I. The Gram classification, **3**, 81
  II. The apparent isolectric point, **3**, 87
Chemical structure as affecting the staining and therapeutic properties of dyes, **1**, 74
Chemistry of dyes, research on, **5**, 37
Chlorination method for macerating woody tissues (abs), **4**, 29
Christeller, E. and K. Kaiser. Microchemical histological method for differentiation of tissues by means of ferric salts formation, (abs) **5**, 31
Chrome black F, **5**, 68
Chromotrope 2 R, solubility of, **3**, 12
Chrysoidin, **4**, 96
Chrysoidin R, **5**, 67, 70
  solubility of, **3**, 12
Chrysoidin Y, **5**, 67, 70
  solubility of, **3**, 12
Churchman, John W. Inhibitory properties of anilin dyes, **1**, 27
  Stability of the Gram reaction, **2**, 21
Churchman, John W., and Louis Siegel. Cultural separation of bacteria on the basis of triphenyl methane coefficients, **3**, 73
Clauser, F. and M. Strani. Primäre Färbung durch chloroform and saure Farbstoffe (abs), **5**, 109
Cochineal, **3**, 110; **4**, 37
  aqueous alcoholic, Spuler's, **3**, 119
  Czokor's formula for, **3**, 116
  iron-alum, **3**, 119
  manufacture of, **3**, 111
  Mayer's formula for, **3**, 119
  Mayer's tincture of, **3**, 115
Cochineal dyes, staining with, history of, **3**, 110
Coelestin blue, **3**, 28, 31, 32, 33, 36

Cohen, Barnett and Max Phillips. The preparation of neutral red iodide suitable for vital staining, 2, 17
The preparation of vital red, 2, 74
Collection of microscopical stained preparations, 2, 63
Colon organism, detection with brilliant green media, 1, 129
Coloration des graisses par l'extrait alcoolique de *Daucus carota* (abs), 4, 62
Coloration des graisses par quelques pigments naturels (abs), 4, 94
Coloration panotique d'exécution rapide permettant d'opérer sur la même préparation l'examen cytologique l'examen bactériologique, et la recherche du bacille de Koch (abs), 4, 81
Colorimetric methods for adjustment of concentration of vital stains, 2, 19
Combining a nuclear and differential tissue stain (abs), 5, 32
Commission specifications of certain stains, 2, 27
Commission on Standardization of Biological Stains:
certification labels, 2, 65, 3, 107
constitution of, 1, 4
amendment to, 4, 71
executive committee, new member, 5, 78
history of, 1, 1
present members of, 1, 9; 4, 5
specification of certain stains, 2, 27
Committee on bacteriological technic, report of, on variability of the Gram reaction, 2, 80
Comparative study of several samples of neutral red and their effects on *Paramoecium caudatum*, 2, 115
Concentration of vital stains, adjustment by colorimetric methods, 2, 19
Congo red, 2, 45, 125; 4, 3, 31; 5, 9, 49, 63, 67, 79
solubility of, 2, 45; 3, 13
specifications of 2, 28
Conn, H. J. A new substitute for ethyl alcohol in the Gram stain, 3, 71
Improved stain for bacteria in soil, 1, 125
Note on Loeffler's methylene blue, 4, 27
Progress in the standardization of stains:
Cancer research, 5, 77
Certain less commonly used stains, 2, 97
Certification labels, 2, 65, 3, 107
Definiteness in staining formulae, 4, 33
Dyes for bacteriostatic work, 5, 1
Five years of stain standardization, 3, 105
Grades of gentian violet, 1, 53
Hematein and acid fuchsin, 4, 97
Influence of impurities upon dyes, 4, 68
Methods of standardization, 1, 45
New member of Commission, 5, 78
Recent information concerning basic fuchsin, 1, 55
Research on chemistry of dyes, 5, 37
Safranin, 4, 65
Solutions of MacNeal's tetrachrome stains, 2, 31
Stain specifications, 4, 1
Stain substitutes, 3, 41
Standardization of eosin and related dyes, 1, 81
Standardization of staining solutions, 1, 51
Standardizing staining technic, 1, 113
Studies of pure dye compounds, 2, 33
The hematoxylin problem, 2, 1
Thionin and its derivatives, 2, 35
The history of staining:
A preliminary note, 2, 126
Anilin dyes in histology, 5, 3
Development of bacteriological staining methods, 5, 39
Logwood dyes, 4, 37
Staining of blood and parasitic protozoa, 5, 127
The pioneers in staining, 3, 1
History of the Commission on Standardization of Biological Stains, 1, 1
Variability of the Gram reaction, 2, 80
Conn, H. J. and Rachel Haynes. Envelopes for filing microscopic slides, 2, 94
Conn, H. J. and W. C. Holmes. Certain factors influencing the staining properties of fluorescein derivatives, 3, 94
Fluorescein dyes as bacterial stains with special reference to their use for soil preparations, 1, 87
Conn, H. J. and S. I. Kornhauser. The history of staining, cochineal dyes, 3, 110
Connective tissue, further experiments with differential staining method combined with ordinary hematoxylin-eosin stain, 5, 73
Consideration of French's test of basic fuchsin for Endo's medium, 1, 135
Constitution of Commission on Standardization of Biological Stains, 1, 4
Corallin, solubility of, 2, 47
Cotton blue 4B, 4, 135
Cover-glass preparations, new staining dish for handling, 4, 57
Cover slips, apparatus for holding during fixation, 4, 59
Craigie, J. A method of staining bacterial flagella (abs), 4, 31

The demonstration of bacterial flagella (abs), **4**, 134
Cresyl blue, **5**, 152
Cresyl (echt) violet, **2**, 98, 125; **5**, 66, 68
Cresyl violet NAC, **5**, 68, 69
solubility of, **3**, 13
Crowell, Ivan H. Cutting microscopic sections of wood without previous treatment in hydrofluoric acid, **5**, 149
Crystal ponceau, **2**, 45; **5**, 67
solubility of, **2**, 45, 70
Crystal violet, **2**, 46, 81, 109, 113, 125; **3**, 22, 41, 42, 64, 69, 73, 75, 77, 78, 79, 122, 123, 126–130; **4**, 11, 12, 32, 69, 70, 82, 83, 91, 98, 112, 113, 114, 115, 116, 119, 133, 135; **5**, 1, 3, 31, 32, 36, 38, 68, 70, 71, 79, 111, 123, 133, 156
chemical structure of, **1**, 75, 76
and erythrosin in plant anatomy, **1**, 33
solubility of, **2**, 46, 70
Cultural separation of bacteria on the basis of triphenyl methane coefficients, **3**, 73
Culture d'un Saprolegnia en milieux nutritifs additionnés de colorants vitaux. Valeur de la méthode des colorations vitals (abs), **5**, 152
Cutting microscopic sections of wood without previous treatment in hydrofluoric acid, **5**, 149
Cyanole extra, solubility of, **4**, 74
Cyclic derivatives of an acid character, reactions of basic dyes with, **3**, 122
Cytological staining, history of, **5**, 117
Cytological work, differentiation of safranin in, **4**, 27
Cytology of plants, value of the smear method for, **2**, 88
Cytology of *Saccharomyces cerviciae* (abs), **4**, 31

Dahlia, **5**, 5, 6, 7, 121, 133
Data in literature on stain solubilities, **2**, 44
Davenport, H. A. Block staining of nervous tissue with silver, **5**, 139
Silver impregnation of nerve fibers in celloidin sections (abs), **5**, 110
Davies, J. I. A method of orienting difficult embryological material for sectioning (abs), **5**, 75
Dawson, Alden B. A note on the staining of the skeleton of cleared specimens with alizarin red S, **1**, 123
The adjustment of the concentration of vital stains by colorimetric methods, **2**, 19
The labeling of biological stains, **1**, 96
Decolorizer, effect of chemical nature of on its functioning. I. The Gram classification, **3**, 81
II. The apparent isoelectric point, **3**, 87
Decolourization of tubercle bacilli in sections at low temperatures (abs), **5**, 33
Definiteness in staining formulae, **4**, 33
Dehydration, air distributor for, **1**, 71
Demonstration of bacterial flagella (abs), **4**, 134
Destaining agent, picric acid, for iron alum hematoxylin, **5**, 135
Detailed differentiation of bacteria by means of mixtures of acid and basic dyes at different pH-values, **4**, 81
Detecting oil in twigs, **5**, 29
Detection histochimique de l'adrenaline (abs), **4**, 29
Development of cytological staining, **5**, 117
Diagnosis of fresh tissue in the operating room, **5**, 81
Diamond flavine, **5**, 67
Dianyl blue G, **4**, 135
Dibromofluorescein, **5**, 67
Differential staining method for connective tissue combined with ordinary hematoxylin-eosin stain, **5**, 73
Differential staining of the peronosporaceae (abs), **4**, 135
Differentiation, safranin, new method for, **5**, 103
Differentiation of bacteria by means of mixture of acid and basic dyes at different pH values, **4**, 81
Differentiation of safranin in cytological work, **4**, 27
Dimethyl thionin eosinate, **4**, 52
Diphenylamine blue, solubility of, **2**, 46
Discussion of paper on "Brilliant-green-bile media," **2**, 24
Discussion of paper on "Metallic lakes of the oxazines as nuclear stain substitutes for hematoxylin," **3**, 70
Discussion of some of the factors causing variable results with flagella stains, **3**,14
Diseased plant tissues, staining cell constituents in, **3**, 57
Dolfini, G. Su un nuovo metodo di colorazione dei grassi, (abs), **4**, 94
Dorner, W. Ch. Negative staining of bacteria, **5**, 25
Dorner's spore stain, **4**, 108
Double staining of mitochondria and bacteria in plant tissues, **4**, 13
Doubrow, S. Un procédé rapide de coloration des bacilles de Koch dans les coupes histologiques (abs), **4**, 94
Doubrow, S. and J. Rousset. Sur un procédé de technique histologique concernat la coupe en série des petits Nématodes (abs), **5**, 76
Drop method of dehydration, air distributor for, **1**, 70

Duco as a material for ringing cover glasses on microscopic slides, **2**, 31
Duff, D. C. B. A modification of the Orskov single-cell technic (abs), **5**, 110
Dufrenoy, J. Double staining of mitochondria and bacteria in plant tissue, **4**, 13
Staining cell constituents in diseased plant tissues, **3**, 57
Dunham, H. G. and H. A. Schoenlein. Brilliant green bile media, **1**, 129
Discussion of paper on "Brilliant-green-bile media" reply, **2**, 26
Dutton, L. O. The status of Wright's stain and some suggestions as to its use, **2**, 105
Wright's as a differential spore stain, **3**, 140
Dyes, application in the cancer problem, **5**, 49
as bacterial stains, **1**, 87, 125
extinction coefficients of, **2**, 124
factors influencing their properties, **1**, 74
influence of impurities upon, **4**, 68
inhibitory properties of, **1**, 27
proteins and nucleic acid, reaction between, **4**, 111
research on chemistry of, **5**, 37
subsidiary in methylene blue, **2**, 71
Dye solubility, data in the literature, **2**, 44
microscopist's need for data on, **2**, 40

Eckfeldt, Gladys A. and Stewart A. Koser. The germicidal effect of staining solutions, **2**, 109
Effect of the chemical nature of a decolorizer on its functioning. I. The Gram classification, **3**, 81
II. The apparent isoelectric point, **3**, 87
Effect of preliminary treatment (fixing fluids) on staining properties of the tissues, **3**, 49
Ehrlich's triacid stain, **5**, 122
Elastic tissue staining, **4**, 11
Emploi des colorants mixtes en technique histologique (abs), **4**, 63
Emploi des mélanges de fuchsines et de blues basiques pour la coloration histologique (abs), **4**, 63
Emploi du mélange rhodamine-blue de méthylène dans la coloration des tissus splénique et lymphoïde (abs), **4**, 63
Endo medium, the, **1**, 41, 49, 135
Eosin A. G., **5**, 152
Eosin, alcohol soluble, **2**, 100, 101
Eosin-methylene blue, **5**, 127, 128
Eosin and related dyes, standardization of, **1**, 81
Eosin B, **1**, 91, 93; **2**, 125; **4**, 3; **5**, 13, 14, 15, 67, 69, 73, 155
as bacterial stain, **1**, 91, 93
solubility of, **2**, 70
specifications of, **2**, 28
Eosin B A extra, **4**, 136
Eosin, ethyl, **2**, 100, 101
Eosin Y, **1**, 17, 25, 68, 79, 91; **2**, 47, 56, 58, 81, 101, 125; **3**, 49, 50, 52, 94, 98, 99, 100; **4**, 3, 23, 32, 35, 49–52, 62, 63, 64, 73, 74, 81, 82, 95, 98, 113, 115, 121, 123, 124, 125, 126; **5**, 2, 3, 5–8, 18, 19, 21, 22, 31, 34, 35, 43, 46, 61, 67, 71, 75, 79, 81, 83, 84, 85, 89, 109, 111, 113, 114, 121, 123, 127, 128, 129, 130, 131
as bacterial stain, **1**, 91
solubility of, **2**, 47, 70; **4**, 74
with azure C and orange II as tissue stain, **1**, 17, 25, 68, 79
Eosinates, thiazin, chemical analysis, **4**, 49
Envelopes for filing microscopic slides, **2**, 94
Erb, N. M. A rapid stain for direct microscopic examination of milk (abs), **4**, 61
Erie garnet B, **5**, 81, 84, 85
Erika B, solubility of, **4**, 74
Erythrin X, solubility of, **4**, 74
Erythrosin, **1**, 83, 92, 93, 94, 125, 128; **2**, 56, 58; **3**, 94, 95, 98, 99, 100, 102, 104; **4**, 73, 74, 98, 123; **5**, 2, 33, 67, 69
and crystal violet in plant anatomy, **1**, 33
solubility of, **4**, 74
standardization of, **1**, 83
Erythrosin B, bacterial stain, **1**, 92, 94, 125
Erythrosin Y, bacterial stain, **1**, 92, 93, 94, 125, 128
Ethyl alcohol, substitute in the Gram stain, **3**, 71
Ethyl eosin, **2**, 100, 101–104; **5**, 67
evaluation of, **2**, 101
solubility of, **3**, 13
Ethyl violet, **5**, 68
Evaluation of ethyl eosin, **2**, 101
Executive committee, new member of, **5**, 78
Extinction coefficients of dyes, **2**, 124

Färbung zur Darstellung reifer Samenzellen im Hodenschnittpraparat, (abs) **4**, 62
Farconi, Aldo. Il metodo Petragnani per le ciglia batteriche e le sue applicazioni alla colorazione de tessuti animali (abs), **4**, 133
Fast green FCF, **3**, 40, 43; **4**, 74; **5**, 68, 69, 107, 123
a substitute for light green SF yellowish, **3**, 40
solubility of, **4**, 74
Fast red A, **5**, 67

solubility of, **3**, 12
Fat stains, **1**, 79
oil red O pyridin, **2**, 60
Fiala, Grace F. Preparation of hair for cross section examination (abs), **5**, 110
Fiber stain, Cajal's, **5**, 144
Filing microscopic slides, envelopes for, **2**, 94
Five years of stain standardization, **3**, 105
Fixateur cytologique particulièrement adapté aux tissues des insectes (abs), **4**, 61
Fixation de la chondriome de la cellule végétale (abs), **4**, 30
Fixative, gelatin, for paraffin sections, **5**, 97
Fixatives, in block staining of nervous tissue with silver, **5**, 139
Fixing fluids, effect of on staining properties of the tissues, **3**, 49
Fixing thin blood smears for staining with iron hematoxylin and with Giemsa's stain (abs), **5**, 113
Flagella, bacterial, staining of, **1**, 60, 143; **3**, 14–27; **5**, 109
Flagella stain, Cesares-Gil, modified, **1**, 143
Flagella stains, **1**, 60, 143; **3**, 14–27; **5**, 109
discussion of some of the factors causing variable results with, **3**, 14
effect of clearing and decolorizing agents on, **3**, 24
effect of reaction on, **3**, 23
effect of temperature on, **3**, 21
Flagella and capsule stain for bacteria (abs), **5**, 109
Flemming's fluids, **5**, 120
Flemming's killing fluid, mordanting with, **2**, 62
Flemming triple stain, **4**, 66, 67; **5**, 122
Fluorescein, **2**, 47; **4**, 74; **5**, 67
chemical formula of, **1**, 88
solubility of, **2**, 47; **4**, 74
Fluorescein, derivaties, factors influencing staining properties of, **3**, 94
Fluorescein, dyes as bacterial stains, **1**, 87, 125
with special reference to their use for soil preparations, **1**, 87
Foley, J. O. Studies in stain technique. Cytological staining with Auerbach's methyl-green-acid fuchsin mixture (abs), **5**, 151
Studies in stain technique. I. Flemming's safranin, gentian violet, orange G method with a suggested modification (abs), **4**, 135
Formalin gentian violet, **2**, 110
French azure C tissue stain modified, **1**, 68
French, R. W. Azure C tissue stain, **1**, 25, 79
Chemical structure as affecting the staining and therapeutic properties of dyes, **1**, 74
Elastic tissue staining, **4**, 11
Extinction coefficients of dyes, **2**, 124
Fat stains, **1**, 79
Notes on stain application, **3**, 130
Practical methods for the control of hydrogen-ion concentration in staining procedures—The use of "buffers," **5**, 87
Standardization of biological stains as a problem of the Medical Department of the Army, **1**, 11
French's test for the Endo medium, **1**, 49, 135
French, R. W.; W C. Holmes and. The oxidation products of methylene blue, **1**, 17
Fresh tissue diagnosis in the operating room, **5**, 81
Frozen sections, preparation of, **1**, 39
Fry, H. J. A paraffin method for serially sectioning a minute object in a known plane (abs), **4**, 93
Fuchsin, **5**, 7
acid, **2**, 50, 125; **3**, 57, 60, 64, 81, 88, 89, 90, 92; **4**, 12, 13, 21, 23, 30, 32, 34, 35, 62, 63, 70, 81–86, 96, 97, 98, 113, 115, 123; **5**, 2, 3, 4, 8, 9, 10, 32, 35, 36, 38, 62, 67, 69, 99, 111, 123, 124, 127, 152, 153, 155, 156
inhibitory properties of, **1**, 29, 30
basic, **1**, 37, 60, 105, 143; **2**, 46, 109, 113; **3**, 16, 64, 65, 66, 67, 69, 82, 122; **4**, 3, 11, 12, 21, 22, 23, 24, 31, 33, 64, 70, 98, 108, 133; **5**, 2, 3, 4, 6, 7, 31, 33, 36, 40, 43, 44, 45, 47, 62, 69, 79, 99, 101, 102, 113, 114, 116, 120, 133, 151
for Endo's medium, **1**, 41, 135
standardization of, **1**, 49
carbol, **3**, 130; **4**, 77; **5**, 45, 109, 115, 151
methylene-blue, **4**, 122
new, **5**, 68
solubility of, **2**, 46
variations in, **1**, 41, 49
and picro-indigo-carmine, a polychromatic stain for vertebrate organogeny, **1**, 37
Fulton, J. D.; J. Gough and. New fixative for mitochondria (abs), **5**, 36
Further experimentation with new differential staining method for connective tissue combined with ordinary hematoxylin-eosin stain, **5**, 73
Further studies on a modification of the Gram stain, **3**, 64

Galesesco, P., and S. Bratiano. Coloration des graisses par l'extrait alcoolique de *Daucus carota* (abs), **4**, 62
Gallamin blue, **3**, 28, 31, 32, 33, 36

Gallocyanin, 3, 28, 31, 32, 33, 36
Gaussen, C. Coloration panotique d'exécution rapide permettant d'opérer sur la même preparation l'examen cytologique l'examen bactériologique et la recherche du Bacille de Koch (abs), 4, 31
Gelatin carmin injections (abs), 5, 35
Gelatin fixative for paraffin sections, 5, 97
Gentian violet, 1, 52, 63; 2, 46, 62, 81–87, 109; 3, 17, 73, 74, 75, 76, 80, 81, 82, 88, 89, 90; 4, 22, 23, 24, 28, 32, 66, 70, 78, 79, 81, 86, 91, 92, 105, 133; 5, 9, 36, 40, 44, 45, 79, 109, 122
  inhibitory properties of, 1, 28, 29
  solubility of, 2, 46
  substitute for, 3, 41
Gentiana, 5, 9, 40, 122
Genung, Elizabeth F. Consideration of French's test of basic fuchsin for Endo's medium, 1, 135
  Basic fuchsin as an indicator in Endo's medium, 1, 41
Germicidal effect of staining solutions, 2, 109
Geschickter, Chas. F. Application of dyes in the cancer problem, 5, 49
  Fresh tissue diagnosis in the operating room, 5, 81
Giberton, A.; J. Millot and. Sur utilization, en histologie, des pièces conservées dans le formol, pour la mise en évidence des graisses (abs), 4, 30
Giemsa stain, 4, 64, 122; 5, 49, 51, 58, 61, 62, 87, 89, 90, 113, 123, 131, 132, 133
Gold orange, 5, 152
Goldner, J. Résultats obtenus chez la seiche par l'emploi de divers colorants vitaux (abs), 4, 62
Gough, J. and J. D. Fulton. New fixative for mitochondria (abs), 5, 36
Gourley, J. H. Basic fuchsin for staining vascular bundles, 5, 99
Gram classification, 3, 81
Gram stain, 2, 21, 80, 109, 110; 3, 73–80, 81–86, 87–93; 4, 78, 81, 86, 88, 91; 5, 46, 47, 111
  modification of, 3, 64
  notes on, 1, 63; 4, 91
  substitute for ethyl alcohol in, 3, 71
Gram stain: quick method for staining Gram positive organisms in tissue (abs), 5, 111
Gram reaction, stability of, 2, 21
  variability of, 2, 80
Green plant tissue, natural color preserved in sectioned, 4, 17
Guilliermont, A. Culture d'un Saprolegnia en milieux nutritifs additionnés de colorants vitaux. Valeur de la méthode des colorations vitals (abs), 5, 152
Guinea green B, 5, 68
  solubility of, 4, 74
Hadjioloff, A. Coloration des graisses par quelques pigments naturels (abs), 4, 94
  Une modification rapide de la méthode de Weigert-Pal (abs), 4, 62
Hale, Frank E. Discussion of paper on "Brilliant-green-bile media," comment, 2, 24
Hance, Robert T. An air distributor for use in the drop method of dehydration, 1, 71
Hann, H. W. Notes on technic. Method of preparing slides for class use, 3, 39
Hann, M.; W. C. Holmes and. Reactions of basic dyes with cyclic derivatives of an acid character, 3, 122
Harlow, W. M. A chlorination method for macerating woody tissues (abs), 4, 29
Hartig, T. 3, 2, 7
Haupt, Arthur W. A gelatin fixative for paraffin sections, 5, 97
Hausdorf, G. Färbung zur Darstellung reifer Samenzellen im Hodenschnittpräparat (abs), 4, 62
Haynes, Rachel. Azure stains, 1, 107
  Detecting oil in twigs, 5, 29
  Differentiation of safranin in cytological work, 4, 27
  Fast green, a substitute for light green SF yellowish, 3, 40
  Investigation of thiazin dyes as biological stains. I. The staining properties of thionin and its derivatives as compared with their chemical formulae, 2, 8
    II. Influence of buffered solutions on staining properties, 3, 131
  Modification of the French azure C tissue stain, 1, 68
  Types of safranin and their use, 3, 143
Haynes, Rachel and H. J. Conn. Envelopes for filing microscopic slides, 2, 94
Haythorn, A. R. Decolourization of tubercle bacilli in sections at low temperatures (abs), 5, 33
Haythorn, S. R. Hematoxylin erythrosin Gram-Weigert stain (abs), 5, 33
Heather, A. H.; J. H. Jordan and. Staining of Negri bodies, 4, 121
Helianthin, solubility of, 3, 12
Hemacalcium, 4, 43
Hemalum, 3, 120; 4, 43; 5, 13, 14, 15, 30
  Mayer's modification of, 4, 127
Hematein, 4, 37, 38, 43–46, 97; 5, 2, 13, 14, 73, 79, 98, 152
  advantages for general laboratory usage, 5, 13

ammoniacal, **4**, 43
standardization of, **4**, 97
Hematoxylin, **2**, 61, 89; **3**, 10, 28, 29, 30, 31, 42, 43, 60, 70, 120; **4**, 12, 17, 18, 19, 30, 31, 32, 37–46, 62, 94, 96, 97, 123, 127, 128, 133, 136; **5**, 6, 9, 13, 14, 30, 32, 33, 34, 35, 36, 38, 39, 40, 61, 75, 79, 81, 83, 84, 85, 113, 119, 121, 123, 128, 135, 136, 137, 138, 151, 153, 154
alum, **4**, 12, 38, 39, 40, 43, 61
chrome, **4**, 44
copper, **4**, 44
crystalline, **4**, 41
Delafield's, **1**, 40; **4**, 42, 127, 133; **5**, 73, 119, 135, 136, 138, 151
Ehrlich's, **5**, 119
eosin stain, further experiments with differential staining method for connective tissue, **5**, 73
erythrosin Gram-Weigert stain, **5**, 33
glycerin, **4**, 42
glycerinated alum, **4**, 42
Heidenhain's, **5**, 58, 61, 62, 119, 135, 151
in Weigert-Pal technic for staining myelin, **1**, 72
iron, **4**, 12, 30, 45, 94; **5**, 113, 119
iron alum, **4**, 32; **5**, 135
iron, Benda, **5**, 119
iron, Heidenhain's, **5**, 119, 151
Mallory's, **5**, 119
Metallic lakes of the oxazines as substitutes for, **3**, 28, 70
Nuclear stain substitutes for, **3**, 28, 70
phosphomolybdic, **4**, 45
phosphotungstic, **4**, 46
stains with, history of, **4**, 37
standardization of, **2**, 1
vanadium, **4**, 45
Weigert's, **5**, 119
Hewer, E. R. The activity of the thyroid gland in relation to the staining reactions of the colloids (abs), **4**, 31
Histology, anilin dyes in, **5**, 3
History of the Commission on Standardization of Biological Stains, **1**, 1
History of staining:
Anilin dyes in histology, **5**, 3
Cochineal dyes, **3**, 110
Development of bacteriological staining methods, **5**, 39
Development of cytological staining, **5**, 117
Logwood dyes, **4**, 37
Preliminary note on, **2**, 126
Staining of blood and parasitic protozoa, **5**, 127
The pioneers in staining, **3**, 1
Hogue, M. J. Staining protozoa with Janus green B, **1**, 35
Holmes, W. C. Note on metachromasy, **2**, 104
Stain solubilities, **2**, 44, 68; **3**, 12; **4**, 73
Subsidiary dyes in methylene blue, **2**, 71
The chemical analysis of thiazin eosinates, **4**, 49
The chemical nature of metachromasy, **1**, 116
The mechanism of staining, **4**, 75
The mechanism of stain action with basic dyes, **1**, 98
The microscopist's need for data on dye solubility, **2**, 40
The preparation of solutions of basic dyes, **1**, 143
The spectrophotometric evaluation of mixtures of methylene blue and trimethyl thionin, **3**, 45
Holmes, W. C.; H. J. Conn, and. Certain factors influencing the staining properties of fluorescein derivatives, **3**, 94
Fluorescein dyes as bacterial stains; with special reference to their use for soil preparations, **1**, 87
Holmes, W. C. and R. W. French. The oxidation products of methylene blue, **1**, 17
Holmes, W. C. and M. Hann. Reactions of basic dyes with cyclic derivatives of an acid character, **3**, 122
Holmes, W. C. and A. R. Peterson. Absorption ratios of biological stains, **5**, 63
The analysis of neutral red and of the pyronins, **5**, 91
Holmes, W. C. and J. T. Scanlan. The evaluation of ethyl eosin, **2**, 101
Holmes, W. C. and E. F. Snyder. The atmospheric oxidation, or dealkylation, of aqueous solutions of methylene blue, **4**, 7
Houcke, E. Emploi des colorants mixtes en technic histologique (abs), **4**, 63
Emploi des mélanges de fuchsines et de blues basiques pour la coloration histologique (abs), **4**, 63
Emploi du mélange rhodamine-blue de méthylène dans la coloration des tissue splénique et lymphoide (abs), **4**, 63
Houseman, P. A. Discussion of paper on "Metallic lakes of the oxazines as nuclear stain substitutes for hematoxylin," **3**, 70
Hubin, Marguerite. Un procédé rapide de triple coloration (abs), **5**, 152
Hydrogen-ion concentration, practical methods for control in staining procedures: Use of buffers, **5**, 87

Impregnation, silver, **5**, 139–147
Improved stain for bacteria in soil, **1**, 125

Improvement in technic and results made in examining microscopically by the razor section method 2000 malignant tissues (abs), **4**, 94
India ink, **5**, 25, 26, 111
Indigo, **3**, 8, 10; **4**, 37; **5**, 50, 119
Indigo carmin, **2**, 48; **4**, 70; **5**, 35, 38, 107, 112
  solubility of, **2**, 48; **3**, 13
  with fuchsin in staining vertebrate embryos, **1**, 37
Indigotin, **5**, 68, 71
Indulin, **5**, 112
Influence of buffered solutions on staining properties of thiazin dyes, **3**, 131
  influence of electric polarization upon the stainability of nerve (abs), **5**, 154
Influence du pH dans les colorations par la méthode de Giemsa (abs), **4**, 32
Ingelby, H. Modification of Achúcarro's method of staining neuroglia (abs), **5**, 32
Inhibitory properties of anilin dyes, **1**, 27
Investigations of thiazin dyes as biological stains:
  Influence of buffered solutions on staining properties, **3**, 131
  The staining properties of thionin and its derivatives as compared with their chemical formulae, **2**, 8
Iodine, green, **5**, 43
Iodine violet, **5**, 7
Iodo-eosin, solubility of, **2**, 47
Iris violet, **5**, 68
  solubility of, **4**, 74
Iron-aceto-carmin, **4**, 53, 54
Iron alum hematoxylin, **5**, 135
  picric acid as destaining agent for, **5**, 135
Iron-hematoxylin, **4**, 45, 61; **5**, 30, 119, 153
  Benda's, **5**, 119
  Heidenhain's, **5**, 119, 151
  method for fecal smears, **1**, 78
Isoelectric point, apparent, of bacteria, **3**, 87
Isopropyl alcohol with methyl alcohol, in Gram stain, **3**, 71

Jackson, Gemma. Crystal violet and erythrosin in plant anatomy, **1**, 33
Janus green B, **4**, 3, 74, 82; **5**, 68, 124, 133, 152
  solubility of, **4**, 74
  staining protozoa with, **1**, 35
Janus red, **5**, 67
Jenner's stain, **4**, 36; **5**, 129
Jirouch, E. A. Natural color preserved in sectioned green plant tissue, **4**, 17
Jordan, J. H. and A. H. Heather. Staining of Negri bodies, **4**, 121
Joyet-Lavergne, Ph. La recherche qualitative du glutathion (abs), **4**, 95
  Sur quelques procédés de recherche microscopique du glutathion dans les cellules (abs), **4**, 29

Kaiser, K.; E. Christeller and. Microchemical histological method for differentiation of tissues by means of ferric salts formation (abs), **5**, 31
Kalkfärbung mit nachfolgender Entkalkung, eine neue Method (abs), **4**, 30
Kater, J. M. Cytology of *Saccharomyces cerviciae* (abs), **4**, 31
Kaufmann, Berwind P. The value of the smear method for plant cytology, **2**, 88
Kelley, A. P. and M. B. Shoemaker. Staining of yeast cells (abs), **4**, 32
Kisser, J. Die verwendung der Gefriermethode bei Pflanzlichen Objecten (abs), **5**, 34
Kisser, J. and B. B. Anderson. Method of preparing thin cross and longitudinal sections of cotton fibers and its importance in cell wall research (abs), **4**, 93
Knower, H. McE. A rapid method for staining sections of the spinal cord and brain stem (abs), **5**, 153
Kopeloff, Nicholas and Peter Cohen. Further studies on a modification of the Gram stain, **3**, 64
Kornhauser, S. I. A quick iron-haematoxylin method, **1**, 78
  Hematein—its advantages for general laboratory usage, **5**, 13
  The development of cytological staining, **5**, 117
Kornhauser, S. I.; H. J. Conn and. The history of staining, cochineal dyes, **3**, 110
Koser, Stewart A.; Gladys A. Eckfeldt and. The germicidal effect of staining solutions, **2**, 109
Kulp, Walter L. A method for the staining of bacterial flagella, **1**, 60

Labels, certification, **2**, 65; **3**, 107
Labeling of biological stains, **1**, 96
Laboratory hints from the literature, **4**, 29, 61, 93, 133; **5**, 31, 75, 109, 151
LaCorte, J. G. Influence du pH dans les colorations par la méthode de Giemsa (abs), **4**, 32
Larson, Edith E. Further experimentation with a new differential staining method for connective tissue, combined with the ordinary hematoxylin-eosin stain, **5**, 71
Leishmann stain, **5**, 130
Lentze, Hrch. Anisol statt Zedernöl als Immersionsmittel nach Becher (abs), **4**, 133

Lepik, E. Differential staining of the Peronosporaceae (abs), **4**, 135
Levine, M. A method for staining connective tissue mast cells (abs), **4**, 95
Lewis, G. T.; F. P. Parker and. Microscopic projections in the measurements of erythrocytes (abs), **4**, 95
Liengme, A. Modification de la méthode de coloration nucléaire en masse de Moret et Bassal (abs), **5**, 153
Light green, **4**, 62; **5**, 112, 154
Light green-safranin, Benda's, **5**, 123
Light green SF, **5**, 123
Light green SF yellowish, **3**, 40, 43, 57; **4**, 3, 27, 66, 74; **5**, 9, 36, 68
  fast green, a substitute for, **3**, 40, 43
  solubility of, **4**, 74
  specifications of, **2**, 28
Lilac anilin, **5**, 3
Lillie, R. D. Brief method for demonstration of mucin (abs), **5**, 31
  Eine Schnellmethode zur Toluidinblau-Schleimfarbung (abs), **4**, 64
  Kalkfärbung mit nachfolgender Entkalkung, eine neue methode (abs), **4**, 30
  The Gram stain; a quick method for staining Gram positive organisms in tissues (abs), **5**, 111
Lipid solvents in block staining of nervous tissue with silver, **5**, 139
Lippincott, L. S. A technic for preparing frozen sections, **1**, 39
Lithium carminate, **5**, 111
Litmus, **4**, 41
Localizing inorganic substances in microscopic sections. The microincineration method (abs), **5**, 113
Logwood, **3**, 109; **4**, 38
  dyes, staining with, history of, **4**, 37
  extract, **4**, 37, 39, 40, 41, 44, 46; **5**, 43, 46
  preparation of hematoxylin from, **2**, 1
Lucas, M. S. Method for concentrating and sectioning protozoa (abs), **5**, 76
Lynch, J. E. Eine neue Karminmethode für Totalpraparate (abs), **5**, 111
Lyons blue, **5**, 112
MacArthur, E. H. The behavior of sudan III when fed with carbohydrate (abs), **5**, 153
MacNeal's tetrachrome stain, **5**, 38, 39, 131, 132
  solutions of, **2**, 31
McClintock, Barbara. A method for making aceto-carmin smears permanent, **4**, 53
Madder, **4**, 37
Magdala red, **2**, 91; **4**, 123; **5**, 68, 121
  substitute for, **3**, 42
Magenta, **5**, 5
Magenta II, **5**, 66, 67
Malachite green, **3**, 43, 125; **4**, 113, 114; **5**, 68, 107, 113
  solubility of, **2**, 46
Maneval, W. E. Some staining methods for bacteria and yeasts, **4**, 21
Manufacture of acid fuchsin as a stain, **2**, 50
Mann, Gustav, biography of, **2**, 4
Martens, P. Les structures nucléaires et chromosomiques dans la cellule vivante et dans la cellule fixée (abs), **4**, 95
Martius yellow, **2**, 44; **5**, 67
  solubility of, **2**, 44, 70; **4**, 74
Mascré, M. Sur la fixation de la chondriome de la cellule végétale (abs), **4**, 30
Mauve, **5**, 3, 7
May, Henry G. A safe spore stain for class use, **1**, 105
May-Grünwald stain, **5**, 129, 132
Mechanism of stain action with basic dyes, **1**, 98
Mechanism of staining, **4**, 75
Mechanism of staining explained on chemical basis:
  I. The reaction between dyes, proteins and nucleic acid. **4**, 111
  II. General presentation, **5**, 17
Media containing brilliant green and bile, **1**, 129
Meldola's blue, **5**, 68
Members of the Commission on Standardization of Biological Stains, **1**, 9; **4**, 5
Mercurochrome, **4**, 135; **5**, 67
Metachromasy, the chemical nature of, **1**, 116
  Note on, **2**, 104
Metallic lakes of the oxazines (gallamin blue, gallocyanin and coelestin blue) as nuclear stain substitutes for hematoxylin, **3**, 28
  Discussion of paper on, **3**, 70
Metanil yellow, solubility of, **3**, 12
Method for concentrating and sectioning protozoa (abs), **5**, 76
Method for making aceto-carmin smears permanent, **4**, 53
Method for the staining of bacterial flagella, **1**, 60
Method for staining connective tissue mast cells (abs), **4**, 95
Method for staining of polar bodies (abs), **5**, 116
Method for the study of chromosomes in pollen-mother-cells (abs), **4**, 94
Method of differential staining of the human brain (abs). **4**, 135
Method of orienting difficult embryological material for sectioning (abs), **5**, 75
Method of preparing thin cross and longitudinal sections of cotton fibers and its importance in cell wall research (abs), **4**, 93

Method of staining bacterial flagella (abs), **4**, 31
Method of staining flagella (abs), **4**, 32
Methyl alcohol with isopropyl alcohol in Gram stain, **3**, 71
Methyl anilin violet, **5**, 5, 6
Methyl blue, **4**, 23; **5**, 68, 109, 152
Methyl eosin, **5**, 67, 153
Methyl green, **2**, 46 ,125; **3**, 28, 43; **4**, 23, 70, 78, 98, 102; **5**, 3, 6, 8, 36, 38, 43, 63, 68, 71, 79, 122, 124, 133
acetic, **5**, 117
specifications of, **2**, 29
solubility of, **2**, 46
with acid fuchsin, **5**, 152
Methyl-green-pyronin, Pappenheim- Unna's, **4**, 102
Methyl orange, **2**, 45, 56, 58; **4**, 98; **5**, 67
solubility of, **2**, 45; **3**, 12
Methyl violet, **2**, 46, 81, 125; **3**, 28, 64, 69; **4**, 24, 70, 78, 95, 134; **5**, 1, 3, 6, 7, 40, 43, 44, 45, 47, 68, 69, 115, 133, 152
chemical structure of, **1**, 75, 76
solubility of, **2**, 46; **2**, 70
Methylene azure, **1**, 17, 68, 79, 107; **3**, 28; **5**, 130, 131
Methylene azure B, **4**, 125
Methylene azure II, **4**, 96
Methylene blue, **2**, 39, 47, 56, 58, 71–73, 109, 110, 113, 121; **3**, 45, 46, 47, 49, 50, 51, 52, 53, 54, 55, 58, 105, 122, 123, 128, 130, 131, 133, 134, 135, 137, 138; **4**, 7–10, 13, 24, 25, 27, 31, 35, 49–51, 61, 63, 64, 81–85, 88, 94, 96, 98, 102, 107, 124, 126, 135; **5**, 3, 8, 9, 18, 29, 35, 38, 44, 45, 46, 47, 50, 61, 68, 69, 70, 71, 89, 92, 113, 114, 115, 123, 127, 128, 129, 130, 131, 132
alcoholic, **3**, 17, 22
aqueous solutions, atmospheric oxidation or dealkylation, **4**, 7
for bacilli, **4**, 36
chloride, **5**, 18, 19
crystals, **4**, 36
-eosin, **5**, 127, 128, 132
eosinate, **4**, 52
Loeffler's, **4**, 27; **5**, 113
medicinal, **4**, 70; **5**, 131
polychrome, **4**, 102; **5**, 83, 114, 128
silicate, **5**, 18
solubility of, **2**, 47, 70
stain for spores of bacteria, **1**, 105
staining properties compared with chemical formulae, **2**, 8–15
subsidiary dyes of, **2**, 71
tablets, **4**, 36
the oxidation products of, **1**, 17
($ZnCl_2$ double salt), solubility of, **3**, 13
and trimethyl thionin, spectrophotometric evaluation of mixtures of, **3**, 45
Methylene green, **5**, 68, 69
solubility of, **4**, 74
Methylene violet, (Bernthsen), **2**, 71–73; **4**, 7, 96; **5**, 8, 68, 69, 130, 131
eosinate, **4**, 52
Methylene violet RRA, solubility of, **3**, 13
Methylene violet 2R, **5**, 67
Metodo Petragnani per le ciglia batteriche e le sue applicazioni alla colorazione de tessuti animali (abs), **4**, 133
Metodi rapidi di colorazione dei corpi del Negri (abs), **5**, 34
de Meyere, J. C. H. Über haltbare rasche Färbung vermittels Azetokarmin (abs), **5**, 112
Microchemical histological method for differentiation of tissues by means of ferric salts formation (abs), **5**, 31
Microscopic projections in the measurements of erythrocytes (abs), **4**, 95
Microscopic slides, filing envelopes for, **2**, 94
Microsporogenesis, study of, **2**, 88
Micriscopical stained preparations, type collection of, **2**, 63
Microscopist's need for data on dye solubility, **2**, 40
Miller, J. W. The Weigert-Pal technic for staining myelin, **1**, 72
Millot, J. and A. Gibertson. Sur utilization, en histologie, des pièces conservées dans le formol, pour la mise en évidence des graisses (abs), **4**, 30
Mitchener, A. V. Duco as a material for ringing cover glasses on microscopic slides, **2**, 31
Mitochondria and bacteria, double staining of in plant tissues, **4**, 13
Mode de formation et la détection des alcaloides dans la plantule de tabac (abs), **4**, 61
Modification de la méthode de coloration nucléaire en masse de Moret et Bassal (abs), **5**, 153
Modifikation der Cajalschen Methode zur Darstellung des Golgischen Binnenapparates (abs), **5**, 75
Modification of Achúcarro's method of staining neuoglia (abs), **5**, 32
Modification of the Cesares-Gil flagella stain, **1**, 143
Modification of the French azure C tissue stain, **1**, 68
Modification of the Gram stain, **3**, 64
Modification of Mayer's hemalum, **4**, 127
Modification of the Orskov single-cell technic (abs), **5**, 110
Modification rapide de la méthode de Weigert-Pal (abs), **4**, 62
Molybdic hematoxylin, **4**, 123
Moore, R. A. Gelatin carmin injections (abs), **5**, 35
Mordanting with used Flemming's killing fluid, **2**, 62

Mucicarmin, **5**, 63
Muci carminic acid, **3**, 119
Myelin, stained by technic of Weigert-Pal, **1**, 72

Nan, Yao. Sur un fixateur cytologique particulièrement adapté aux tissues des insectes (abs), **4**, 61
Naphthol green B, **5**, 92, 94
Naphthol yellow S, solubility of, **3**, 12
Naphthoquinon, **3**, 29, 31
Narcein, **5**, 69
  solubility of, **3**, 12
Nature della coloration histologique et sur la methode de contact (abs), **4**, 136
Natural color preserved in sectioned green plant tissue, **4**, 17
Negative staining of bacteria, **5**, 25
Negri bodies, staining of, **4**, 121
Nervous tissue, block staining with silver, **5**, 139
Neuartige Anwendung des Pasinischen Farbengenisches zur feineren Untersuchung des Bindegewebes (abs), **5**, 155
Neue Karminmethode für Totalpraparate (abs), **5**, 111
Neutral red, **2**, 56, 58. 59, 99, 100, 115–122; **3**, 58; **4**, 3, 61, 62, 74; **5**, 67, 79, 91, 92, 93, 94, 95, 96. 111, 124, 133, 152
  comparative study of several samples and their effects on *Paramoecium caudatum*, **2**, 115
  and pyronins, analysis of, **5**, 91
  for vital staining, American vs. prewar Grübler, **2**, 19
  iodide, **2**, 74–79; **5**, 96
    preparation of, for vital staining, **2**, 17
    solubility of, **3**, 13; **4**, 74
  vital, preparation of, **2**, 74
Neutral stains, **5**, 133
Neutral violet, **5**, 67, 133
  solubility of, **4**, 74
New fixative for mitochondria (abs), **5**, 36
New fuchsin, **2**, 51, 55, 125; **3**, 122, 126, 130; **5**, 68
  solubility of, **2**, 70
New member of Executive Committee, **5**, 78
New method for safranin differentiation, **5**, 103
New methylene blue N, **5**, 68
  solubility of, **2**, 70
New rapid method for tissue sections (abs), **5**, 115
New staining dish for handling coverglass preparations, **4**, 57
New victoria blue R, solubility of, **4**, 74
Niagara sky blue, **5**, 68
Night blue, **5**, 68
Nigrosin, **2**, 56, 58; **3**, 141; **4**, 3; **5**, 25, 26, 27, 68, 156
Nigrosin B, **5**, 25
Nile blue, **5**, 152
Nile blue A, **5**, 68, 69
Nile blue BB, **5**, 68
  solubility of, **4**, 74
Nile blue sulfate, specifications of, **2**, 29
Nissl's granules, stain technic for, following alcohol-formol fixation, **2**, 56
Notes on a combined peroxidase Wright's stain for blood films, **5**, 101
Note on the Gram stain, **1**, 63; **4**, 91
Note on metachromasy, **2**, 104
Note on preparing muci-carmine (abs), **4**, 32
Note on stain application, **3**, 130
Note on the staining of the skeleton of cleared specimens with alizarin red S, **1**, 123
Notes on technic:
  A new substitute for ethyl alcohol in the Gram stain, **3**, 71
  Azure C tissue stain, **1**, 79
  Detecting oil in twigs, **5**, 29
  Differentiation of safranin in cytological work, **4**, 27
  Duco as a material for ringing cover glasses on microscopic slides, **2**, 31
  Fast green, a substitute for light green SF yellowish, **3**, 40
  Fat stains, **1**, 79
  Mayer's hemalum, correction, **5**, 30
  Method of preparing slides for class use, **3**, 39
  Modification of the Casares-Gil flagella stain, **1**, 143
  Mordanting with used Flemming's killing fluid, **2**, 62
  New substitute for ethyl alcohol in the Gram stain, **3**, 71
  Note on Loeffler's methylene blue, **4**, 27
  Paraffin ribbon cooler, **1**, 112
  Preparation of solutions of basic dyes, **1**, 143
  Solutions of MacNeal's tetrachrome stain, **2**, 31
  Types of safranin and their use, **3**, 143
  Wire holder for staining slides, **5**, 29
  Zinc iron-hematoxylin method, **1**, 78
Nouvelle coloration élective de la myeline (abs), **4**, 64
Nouvelle modification de la technique d'Altman (abs), **4**, 96
Nuclear and differential stain combined (abs), **4**, 133
Nuclear stain substitutes for hematoxylin **3**, 28
Nucleic acid, dyes, proteins and, reaction between, **4**, 111
Nuovo metodo di colorazione dei grassi (abs), **4**, 94

Ochs, Georg Wilhelm. Über den Einfluss der Temperatur auf die Färbung von Blutausstrich-Präparaten (abs), **4**, 64
Oil, detecting in twigs, **5**, 29
Oil red O, **2**, 60, 61
as a fat stain, **1**, 79
pyridin, a rapid fat stain, **2**, 60
Okada, S. Über eine neue Silberimpregnationsmethode zur Darstellung der Neurofibrillen (abs), **5**, 36
Okajima, K. Über die Färbemethode mit Alizarinmolybdänlack (abs), **5**, 112
Okkels, H.; A. Policard and. Localizing inorganic substances in microscopic sections. The micro-incineration method (abs), **5**, 113
Orange, **5**, 9, 43, 122
Orange G, **2**, 62, 125; **4**, 31, 32, 63, 66, 95, 133, 135; **5**, 3, 9, 10, 31, 32, 33, 67, 73, 74, 109, 122, 154, 156
solubility of, **3**, 12
Orange I, **5**, 67
solubility of, **3**, 12
Orange II, **5**, 67
solubility of, **2**, 45; **3**, 12
with azure C and eosin as a tissue stain, **1**, 17, 25, 68, 79
Orange IV, **5**, 67
solubility of, **2**, 70
Orange yellow, **5**, 111
Orcein, **5**, 155
Osborne, S. G., **3**, 8
Owen, Helen H. and Marie Band. The Stoltenberg differential stain for diphtheria bacilli (abs), **5**, 112
Oxamine blue 4BX, **4**, 135
Oxidation products of methylene blue, **1**, 17

Pappenheim stain, **5**, 10, 132
Paracarmin, **3**, 119
Paraffin method for serially sectioning a minute object in a known plane (abs), **4**, 93
Paraffin sections, gelatin fixative for, **5**, 97
Paraffineinbettungsmethode nach vorhergegangener Zelloidindurchtränkung unter Vermeidung der härtenden Intermedien Xylol, Benzol, Chloroform (abs), **4**, 61
Paramoecium caudatum, effects of neutral red on, **2**, 115
Pararosanilin, **2**, 50, 55; **5**, 7, 67, 70
solubility of, **2**, 70
Pararosanilin (chloride), **2**, 125
solubility of, **3**, 13
Paris blue, **5**, 4
Parker, F. P. A technic for staining red blood cells for measurement of cell diameters by the projection method (abs), **4**, 95
Parker, F. P. and G. T. Lewis. Microscopic projections in the measurements of erythrocytes (abs), **4**, 95
Parme, **5**, 4
Parme blue, **5**, 7
Patent blue A, solubility of, **4**, 74
Pergola, M. Substrati al tellurito e colorazione ridotta nella ricerca e dimostrazione del bacillo difterico(abs), **4**, 96
Peroxidase Wright's stain for blood films, **5**, 101
Peterson, A. R.; W. C. Holmes and. Absorption ratios of biological stains, **5**, 63
The analysis of neutral red and of the pyronins, **5**, 91
Petragnani, G. Metodi rapidi di colorazione dei corpi del Negri, (abs), **5**, 34
Phenolphthalein, solubility of, **2**, 47
Phenosafranin, **5**, 31, 67
Phenyl rosanilins, **5**, 7
Phillips, Max and Barnett Cohen. The preparation of neutral red iodide suitable for vital staining, **2**, 17
The preparation of vital red, **2**, 74
Phloxine, **1**, 92; **2**, 91, 125; **3**, 94, 95, 98, 99, 100; **4**, 70, 73, 74, 98, 121, 123, 124, 125; **5**, 69
solubility of, **4**, 74
specifications of, **2**, 30
standardization of, **1**, 83, 128
Phloxine B, **1**, 92, 93, 94; **5**, 67
Phloxine-eosin stain for Negri bodies, **4**, 123, 124, 125
Picric acid, **2**, 44; **3**, 113, 124, 128; **4**, 12, 29, 30, 32, 95, 123; **5**, 9, 69, 120, 123, 135, 136, 137, 138, 153
as a destaining agent for iron alum hematoxylin, **5**, 135
solubility of, **2**, 44; **3**, 12
Picrocarmin, **5**, 6, 117
Picro-hematoxylin, **5**, 138
Pioneers in staining, history of, **3**, 1
Plant cell wall stains, crystal violet and erythrosin, **1**, 33
Plant tissue, green, natural color preserved in sectioned, **4**, 17
Plant tissues, diseased, staining cell constituents in, **3**, 57
Plant tissues, double staining of mitochondria and bacteria in, **4**, 13
Plant tissues, short method of clearing for anatomical studies, **4**, 131
Policard, A. and H. Okkels. Localizing inorganic substances in microscopic sections. The micro-incineration method (abs), **5**, 113
Polychromatic stain for vertebrate organogeny, **1**, 37
Polychrome methylene blue, **5**, 9, 129, 130, 131
Ponceau 2 G, solubility of, **4**, 74

Ponceau 6 R, solubility of, **3**, 12
Practical flagella and capsule stain for bacteria (abs), **5**, 151
Practical methods for control of hydrogen-ion concentration in staining procedures: The use of "buffers," **5**, 87
Praktische Winke sur Azur II–Eosinfärbung an Schnittpräparaten (abs), **4**, 136
Preparation of azure A and azure C, **1**, 17
Preparation of hair for cross section examination (abs), **5**, 110
Preparation of neutral red iodide suitable for vital staining, **2**, 17
Preparation of permanent slides of the rhizopod Arcella (abs), **5**, 151
Preparation of solutions of basic dyes, **1**, 143
Preparation of vital neutral red, **2**, 74
Preparing slides for class use, method of, **3**, 39
Present members of the Commission on Standardization of Biological Stains, **1**, 9; **4**, 5
Preserving certain algae in natural colors (abs), **5**, 116
Primäre Färbung durch chloroform und saure Farbstoffe (abs), **5**, 109
Primula, **5**, 7
Procédé de technique histologique concernant la coupe en série des petits Nématodes (abs), **5**, 76
Procédé rapide de coloration des bacilles de Koch dans les coupes histologiques (abs), **4**, 94
Procédé rapide de triple coloration (abs), **5**, 152
Procédé simple pour décortiquer les Amphibiens Urodèles (abs), **5**, 114
Proescher, F. Oil red O pyridin, a rapid fat stain, **2**, 60
Proescher, F. and A. S. Arkush. Metallic lakes of the oxazines (gallamin blue, gallocyanin and coelestin blue) as nuclear stain substitutes for hematoxylin, **3**, 28
Progress in the standardization of stains:
  Cancer research, **5**, 77
  Certain less commonly used stains, **2**, 97
  Certification labels, **2**, 65, **3**, 107
  Definiteness in staining formulae, **4**, 33
  Dyes for bacteriostatic work, **5**, 1
  Five years of stain standardization, **3**, 105
  Grades of gentian violet, **1**, 53
  Hematein and acid fuchsin, **4**, 97
  Hematoxylin problem, **2**, 1
  Influence of impurities upon dyes, **4**, 68
  Methods of standardization, **1**, 49
  Microscopist's need for data on dye solubility, the, **2**, 40
  New member of the Commission, **5**, 78
  Recent information concerning basic fuchsin, **1**, 55
  Research on chemistry of dyes, **5**, 37
  Safranin, **4**, 65
  Stain specifications, **4**, 1
  Stains recently certified, **4**, 2, 36, 70, 98; **5**, 2, 38, 79, 156
  Stain substitutes, **3**, 41
  Standardization of eosin and related dyes, **1**, 81
  Standardization of staining solutions, **1**, 51
  Standardizing staining technic, **1**, 113
  Studies of pure dye compounds, **2**, 33
  Thionin and its derivatives, **2**, 35
Properties of dyes, staining and therapeutic, **1**, 74
Proteins, dyes, and nucleic acid, reaction between, **4**, 111
Protozoa, Janus green B as a stain for, **1**, 35
Protozoa, parasitic, history of staining, **5** 127
Pure dye compounds, studies of, **2**, 33
Purpurin, **5**, 3, 7, 119
Purpurin B, **5**, 67
Purpurin 4 B, solubility of, **3**, 13
Pyronin, **3**, 42; **4**, 3; **5**, 46, 92, 95, 133
Pyronin B, **5**, 68, 91, 93, 94, 96
  iodine, solubility of, **3**, 13
Pyronin G., **5**, 68, 91, 93, 94, 96
  solubility of, **4**, 74
Pyronins and neutral red, analysis of, **5**, 91
Pyridin, with oil red O as a fat stain, **2**, 60, 61

Quelques procédés de recherche microscopique du glutathion dans les cellules (abs), **4**, 29
Quick iron-hematoxylin method, **1**, 78

Rapid frozen section method for fresh tissues (abs), **5**, 33
Rapid method for staining sections of the spinal cord and brain stem (abs), **5**, 153
Rapid paraffin embedding method (abs), **5**, 34
Rapid stain for direct microscopic examination of milk (abs), **4**, 61
Reaction of basic dyes with cyclic derivatives of an acid character, **3**, 122
Real nature of vital staining (abs), **5**, 111
Recherche qualitative du glutathion (abs), **4**, 95
Red cabbage, **4**, 41
Reducing solutions, in block staining of nervous tissue with silver, **5**, 139

Rees, C. W. Fixing thin blood smears for staining with iron-hematoxylin and with Giemsa's stain (abs), **5**, 113
Reichardt, H. and A. Wetzel. Paraffineinbettungsmethode nach vorhergegangener Zelloidindurchtränkung unter Vermeidung der härtenden Intermedien, Xylol, Benzol, Chloroform (abs), **4**, 61
Resorcin, **3**, 124–126, 128, 129
fuchsin, **4**, 11, 31
yellow, **5**, 67
solubility of, **2**, 70
Résultats obtenus chez la seiche par l'emploi de divers colorants vitaux (abs), **4**, 62
Rhamy, B. W. Rhamy triple stain for frozen sections (abs), **5**, 113, 114
Rhodamine B, **4**, 63; **5**, 68
solubility of, **3**, 13
Rhodamine G, **5**, 68
solubility of, **4**, 74
Rhodamin S, **5**, 67
Ringing cover glasses with Duco, **2**, 31
Romanovsky stain, **5**, 127–129, 132
Rosanilin, **2**, 50–55; **3**, 17, 122, 123, 125, 126; **4**, 107; **5**, 4, 7, 67, 69, 70
chloride, **2**, 125
solubility of, **3**, 13
phenyl derivatives, **5**, 7
picrate, **5**, 8
sulfate, **5**, 41
Rose bengal, **2**, 125; **3**, 94, 95, 98, 99, 100, 102, 103, 104, 107; **4**, 23, 69, 73, 74, 125; **5**, 69
bacterial stain, **1**, 92, 94, 125, 128
solubility of, **4**, 74
specifications of, **2**, 29
Rose bengal 3 B, **5**, 68
Rousset, J.; S. Doubrow and. Sur un procédé de technique histologique concernat la coupe en série des petits Nématodes (abs), **5**, 76
Rubin, S. **4**, 96

Safe spore stain for class use, **1**, 105
Safranin, **2**, 62, 81, 125; **3**, 105; **4**, 23, 24, 27, 82, 95, 108, 134, 135; **5**, 3, 7, 9, 36, 43, 46, 67, 69, 103, 109, 111, 116, 120, 121, 122, 123, 133, 152
differentiation, new method for, **5**, 103
differentiation of, in cytological work, **4**, 27
Flemming, **4**, 65, 66
nach Curtis, **4**, 65, 66
rein (Phenosafranin), **4**, 65, 66
solubility of, **3**, 13
spirituslöslich, **4**, 65
standardization of, **4**, 65
types of and their use, **3**, 143
Safranin yellow, water soluble, **4**, 65, 66
Safranin O, **4**, 65–69; **5**, 103, 104, 105, 106, 107
wasserlöslich, Pfitzner, **4**, 65
Sannomiya, N. Über eine elektive Färbung der sogenannten Nebenkerne des Pankreas, nebst einigen Bemerkungenuber das Wesen derselben auf Grund dieser spezifischen Färbung (abs), **5**, 153
Sarrabat, **3**, 1
Sass, John E. Mayer's hemalum, a correction, **5**, 30
Modification of Mayer's hemalum, **4**, 127
Wire holder for staining slides, **5**, 29
Satisfactory method of staining fungal mycelium in wood sections (abs), **4**, 94; **5**, 109
Sato, Kunio. On the real nature of vital staining (abs), **5**, 111
On the staining capacity of the nucleolus and its physiological significance (abs), **5**, 154
Scanlan, J. T., R. W. French, and W. C. Holmes. Acid fuchsin as a stain, a refinement in manufacture, **2**, 50
Scanlan, J. T.; W. C. Holmes and. The evaluation of ethyl eosin, **2**, 101
Scarlet red, **2**, 60, 61; **3**, 28; **5**, 10 (See also Sudan IV)
Scharlach, **5**, 10
Schnellmethode zur Toluidinblau-Schleimfarbung (abs), **4**, 64
Schoenlein, H. A.; H. G. Dunham and. Brilliant green bile media, **1**, 129
Schoenlein, H. W. and H. G. Dunham. Discussion of paper on "Brilliant green-bile-media," reply by, **2**, 26
Sections, frozen, preparation of, **1**, 39
Sheridan, W. F. Use of (a) normal propyl alcohol and (b) low melting point paraffin in infiltration to prevent distortion and hardening of tissues (abs), **5**, 34
Weigert's elastic tissue stain prepared with crystal violet (abs), **5**, 31
Shoemaker, M. B.; A. P. Kelley, and. Staining of yeast cells (abs), **4**, 32
Short method of clearing plant tissues for anatomical studies, **4**, 131
Shumway, Waldo. Fuchsin and picroindigo-carmin, a polychromatic stain for vertebrate organogeny, **1**, 37
Siegel, Louis; John W. Churchman and. Cultural separation of bacteria on the basis of triphenyl methane coefficients, **3**, 73
Silver, block staining of nervous tissue with, **5**, 139
Silver impregnation, **5**, 139–147
Silver impregnation of nerve fibers in celloidin sections (abs), **5**, 110

Simple method for staining spirochetes (abs), 5, 35
Simpson, Jennie L. S. Short method of clearing plant tissues for anatomical studies, 4, 131
Skeleton, stained cleared specimens with alizarin red S, 1, 123
Sky blue, solubility of, 3, 13
Slides, microscopic, filing envelopes for, 2, 94
Slides, preparation of for class use, 3, 39
Slides, wire holder for staining, 5, 29
Slonimski, P. Sur un procédé simple pour décortiquer les embryons des Amphibiens Urodèles (abs), 5 114
Smear method for plant cytology, value of, 2, 88
Smear method for the study of chromosomes (abs), 4, 96
Snyder, E. F.; W. C. Holmes, and. The atmopsheric oxidation, or dealkylation, of aqueous solutions of methylene blue, 4, 7
Society of American Bacteriologists. Committee report on variability of the Gram reaction, 2, 80
Solubilities of stains, 2, 44, 68; 3, 12; 4, 73
Solutions of basic dyes, preparation of, 1, 143
Solutions of MacNeal's tetrachrome stain, 2, 31
Southgate, H. W. Note on preparing muci-carmin (abs), 4, 32
Specifications of certain stains, 2, 27
Spectrophotometric evaluation of mixtures of methylene blue and trimethyl thionin, 3, 45
Spirit blue, 5, 7
Spore stain, Dorner's, 4, 97
Spore stain, Wright's stain as a, 3, 140
Stability of the Gram reaction, 2, 21
Stain application, notes on, 3, 130
Stain for *B. leprae* and myelin sheath (abs), 5, 33
Stain solubilities, 2, 44, 68; 3, 12; 4, 73
Stain substitutes, 3, 41
Stain, for hematoxylin, 3, 28, 42, 70
for light green SF yellowish, 3, 40, 43
Stain technic for Nissl's granules following alcohol-formol fixation, 2, 56
Stained preparations, microscopic, type collection of, 2, 63
Staining, history of:
Anilin dyes in histology, 5, 3
Bacteriological staining methods, 5, 39
Blood and parasitic protozoa, 5, 127
Cochineal dyes, 3, 110
Cytological staining, 5, 117
Logwood dyes, 4, 37
Pioneers in staining, 3, 1
Preliminary note, 2, 126
Staining, mechanism of, 4, 75
standardized technic of, 1, 113
with alizarin red S, 1, 123
Staining, of bacteria in soil, 1, 87, 125
of bacterial flagella with fuchsin, 1, 60
of bacterial spores, 3, 140
of elastic tissue, 4, 11
of fat, with oil red O pyridin, 2, 60
of myelin, by Weigert-Pal method, 1, 72
of vertebrate embryos with fuchsin and picro-indigo-carmin, 1, 37
Staining dish, new, for handling coverglass preparations, 4, 57
formulae, definiteness in, 4, 33
methods, bacteriological, development of, 5, 39
procedures, practical methods for control of hydrogen-ion concentration; Use of buffers, 5, 87
properties, of fluorescein derivatives, factors influencing, 3, 94
of thiazin dyes, influence of buffer solutions on, 3, 131
of thionin and its derivatives, 2, 8
of tissues, preliminary treatment on, 3, 49
solutions, germicidal effect of, 2, 109
Staining capacity of the nucleolus and its physiological significance (abs), 5, 154
Staining cell constituents in diseased plant tissues, 3, 57
Staining character of bacteria, variation, as related to reserve food material within the organism, 4, 105
Staining mechanism explained on chemical basis. I. The reaction between dyes, proteins, and nucleic acid, 4, 111
II. General presentation, 5, 17
Staining methods for bacteria and yeasts, some, 4, 21
Staining of Negri bodies, 4, 121
Staining of yeast cells (abs), 4, 32
Staining protozoa with Janus green B, 1, 35
Staining with phloxine, 2, 91
protozoa, 2, 115
solutions, germicidal effect of, 2, 109
tumor tissue, 2, 98
Stains, certification of, 3, 105–9
Stains for fat, 1, 79
Stains for fat, in plant cell walls (crystal violet, erythrosin), 1, 33
Stains recently certified, 4, 2, 36, 70, 98; 5, 2, 38, 79, 156
Standardization of stains, progress in:
A new member of the Commission, 5, 78
Cancer research, 5, 77
Certain less commonly used stains, 2, 97
Certification labels, 2, 65, 3, 107

Definiteness in staining formula, **4**, 33
Dyes for bacteriostatic work, **5**, 1
Five years of stain standardization, **3**, 105
Grades of gentian violet, **1**, 53
Hematein and acid fuchsin, **4**, 97
Hematoxylin problem, **2**, 1
Influence of impurities upon dyes, **4**, 68
Methods of standardization, **1**, 49
Microscopists' need for data on dye solubility, **2**, 40
Recent information concerning basic fuchsin, **1**, 55
Research on chemistry of dyes, **5**, 37
Safranin, **4**, 65
Stain specifications, **4**, 1
Stains recently certified, **4**, 2, 36, 70, 98; **5**, 2, 38, 79, 156
Stain substitutes, **3**, 41
Standardization of eosin and related dyes, **1**, 81
Standardization of staining solutions, **1**, 51
Standardization staining technic, **1**, 113
Studies of pure dye compounds, **2**, 33
Thionin and its derivatives, **2**, 35

Standardization of biological stains as a problem of the medical department of the army, **1**, 11

Status of Wright's stain and some suggestions as to its use, **2**, 105

Stearn, Allen E. and Esther Wagner Stearn. The effect of the chemical nature of a decolorizer on its functioning. I. The Gram classification, **3**, 81
II. The apparent isoelectric point, **3**, 87
Mechanism of staining explained on a chemical basis. I. The reaction between dyes, proteins, and nucleic acid, **4**, 111
II. General presentation, **5**, 17
Variation in staining character of bacteria as related to the reserve food material within the organism, **4**, 105

Stegall, P. A. A method of differential staining of the human brain (abs), **4**, 135

Stoltenberg differential stain for diphtheria bacilli, (abs), **5**, 112

Strani, M.; F. Clauser and. Primäre Färbung durch Chloroform and saure Färbstoffe, (abs), **5**, 109

Structures nucléaires et chromosomiques dans la cellule vivante et dans la cellule fixée, (abs), **4**, 95

Studies in stain technique. I. Flemming's safranin, gentian violet, orange G method, with a suggested modification, (abs), **4**, 135
II. Cytological staining with Auerbach's methyl green-acid fuchsin mixture, (abs), **5**, 151
Studies of pure dye compounds, **2**, 33
Subsidiary dyes in methylene blue, **2**, 71
Substitute for ethyl alcohol in the Gram stain, **3**, 71
Substitutes, stain, **3**, 28, 40, 41, 70
Substrati al tellurito e colorazione ridotta nella ricerca e dimostrazione del bacillo difterico, (abs), **4**, 96
Sudan, **4**, 94
Sudan I, **5**, 67
solubility of, **2**, 70
Sudan II, **5**, 67
solubility of, **2**, 70
Sudan III, **1**, 79; **2**, 60, 61; **5**, 3, 10, 67, 79, 153
solubility of, **2**, 70
Sudan IV, **2**, 60, 61; **3**, 28; **5**, 10, 29, 67
solubility of, **2**, 70
Sweany, H. C. System of sputum analysis for the presence of acid-fast bacilli (abs), **4**, 93

Technic for preparing frozen sections, **1**, 39
Technic for staining red blood cells for measurement of cell diameters by the projection method, (abs), **4**, 95
Terry, B. T. Improvement in technic and results made in examining microscopically by the razor section method 2000 malignant tissues (abs), **4**, 94
Tetrachrome stain, MacNeal's, **5**, 38, 89, 131, 132
solutions of, **2**, 31
Thatcher, Lida M. A modification of the Cesares-Gil flagella stain, **1**, 143
Thiazin dyes, influence of buffered solutions on staining properties, **3**, 131
staining properties compared with chemical formulae, **2**, 8
Thiazin eosinates, **4**, 49, 50, 52
chemical analysis, **4**, 49
Thioflavine T, solubility of, **3**, 13
Thionin, **2**, 36, 56, 59; **3**, 28, 131, 133–137; **4**, 63, 70, 95; **5**, 3, 8, 9, 62, 68, 109, 123, 133
chemical formula of, **2**, 8
ethyl derivatives, **2**, 8–15; **3**, 122, 129, 133, 138
methyl derivatives, **2**, 8–15; **3**, 135; **4**, 7, 8,; **5**, 131
solubility of, **3**, 13
staining properties of, **2**, 8
staining properties compared with chemical formula, **2**, 8–15
Thionin and its derivatives, **2**, 35
Thionin blue, **5**, 68, 70
Thionolin, dimethyl, **4**, 7

Tissue, fresh diagnosis in the operating room, **5**, 81
Tissue stain (azure C, eosin Y and orange II), **1**, 25, 68, 79
Tissues, diseased, plant, staining cell constituents in, **3**, 57
Tolstoouhov, Alexander V. Detailed differentiation of bacteria by means of a mixture of acid and basic dyes at different pH- values, **4**, 81
The effect of preliminary treatment (fixing fluids) on staining properties of the tissues, **3**, 49
Toluidine blue O, **2**, 38, 75–79; **3**, 58; **4**, 63, 64; **5**, 31, 68, 111, 113, 132, 152
preparation of, **2**, 17
specifications of, **2**, 30
solubility of, **3**, 13
Triacid stain, Ehrlich's, **5**, 122
Trimethyl thionin and methylene blue, spectrophotometric evaluation of mixtures of **3**, 45
Trimethyl thionin eosinate, **4**, 52
Triphenyl methane co-efficients, cultural separation of bacteria on the basis of, **3**, 73
Tropaeolin O, solubility of, **2**, 45
Trypan blue, **4**, 62; **5**, 49, 63, 68, 109, 111
Tschernyachinsky, A. Eine Vervollkommung des Paraffin-Zelloidin-Verfahrens, (abs), **5**, 154
Tuan, Hsu-Chuan. A new method for safranin differentiation, **5**, 103
Picric acid as a destaining agent for iron alum hematoxylin, **5**, 135
Type collection of microscopical stained preparations, **2**, 63
Types of safranin and their use, **3**, 143
Tyrian purple, **5**, 3

Über den Einfluss der Temperatur auf die Färbung von Blutausstrichpräparaten (abs), **4**, 64
Über die Färbemethode mit Alizarinmolybdänlack (abs), **5**, 112
Über einige Erfahrungen mit der Golgi-Methode (abs), **5**, 75
Über eine neue Silberimpregnationsmethode zur Darstellung der Neurofibrillen (abs), **5**, 36
Über eine elektive Färbung der sogenannten Nebenkerne des Pankreas,nebst einigen Bemerkungen über das wesen derselben auf Grund dieser spezifischen Färbung (abs), **5**, 153
Über haltbare rasche färbung vermittels azetokarmin (abs), **5**, 112
Ugriunow, B. Praktische Winke sur Azur II–Eosinpfärbung an Schnittpräparaten (abs), **4**, 136
Unna, Eugen. Professor P. G. Unna, biography of, **4**, 100
Unna's polychrome methylene blue. **5**, 128
Use of (a) normal propyl alcohol and (b) low melting point paraffin in infiltration to prevent distortion and hardening of tissues, **5**, 34
Use of n-butyl alcohol in dehydrating woody tissue for paraffin embedding (abs), **5**, 116
Utilization, en histologie, des pièces conservées dans le formol, pour la mise en evidence des graisses (abs), **4**, 30

Value of the smear method for plant cytology, **2**, 88
Van Gieson stain, **2**, 50–55; **5**, 123
Variability of the Gram reaction; report of the Committee on bacteriological technic of the Society of American Bacteriologists **2**, 80
Variable results with flagella stains, **3**, 23
Variation in staining character of bacteria as related to reserve food material within the organism, **4**, 105
Vascular bundles, basic fuchsin for staining, **5**, 99
Vermilion, **3**, 8
Verne, Jean. Une nouvelle coloration élective de la myeline (abs), **4**, 64
Vertebrate embryos stained with fuchsin and picro-indigo-carmine, **1**, 37
Vervollkommnung des Paraffin-Zelloidin-Verfahrens (abs), **5**, 154
Verwendung der Gefriermethode bei pflanzlichen Objecten (abs) **5**, 34
Vesuvin, **5**, 44
Victoria blue, **4**, 62
Victoria blue B, **5**, 62, 68
Victoria blue 4 R, solubility of, **4**, 74
Victoria green 3 B, solubility of, **4**, 74
Victoria green (oxalate), solubility of, **3**, 13
Victoria yellow, solubility of, **4**, 74
Vilkomerson, I. M. A new rapid paraffin method for tissue sections (abs), **5**, 115
Vital neutral red, preparation of, **2**, 74
Vital red, **5**, 67
Vital stains, adjustment of concentration by colorimetric methods, **2**, 19
Vital staining, **2**, 17, 19, 74, 97, 99, 115
preparation of neutral red iodide for, **2**, 17
Volkonsky, M. Sur une nouvelle modification de la technique d'Altman (abs), **4**, 96

Walter, L. Neuartige Anwendung des pasinischen Farbengemisches zur feineren Untersuchung des Bindegewebes (abs), **5**, 155
Watanabe, Horti. Beitrage zur Färbung der paschenschen Körperchen (Elementar-körperchen), (abs), **5**, 115
Webber, J. M. Smear method for the study of chromosomes (abs), **4**, 96

Weigert's elastic tissue stain prepared with crystal violet (abs), **5**, 31
Weigert-Pal method, staining myelin, **1**, 72
Weiss, E. Method of staining flagella (abs), **4**, 32
Method for staining of polar bodies (abs), **5**, 116
Simple method for staining spirochetes (abs), **5**, 35
Wetzel, A.; H. Reichardt and. Paraffineinbettungsmethode nach vorhergegangener Zelloidindurchtränkung unter Vermeidung der härtenden Intermedien, Xylol, Benzol, Chloroform (abs), **4**, 61
Wilson, C. Nathaniel. A comparative study of several samples of neutral red and their effects on *Paramoecium caudatum*, **2**, 115
Wire holder for staining slides, **5**, 29
Wolfe, Jean. Sur la nature della coloration histologique et sur la methode de contact (abs), **4**, 136
Wood, cutting microscopic sections without previous treatment in hydrofluoric acid, **5**, 149
Woods, M. W. Perserving certain algae in natural colors (abs), **5**, 116
Wool yellow G, solubility of, **3**, 12
Wright's stain, **2**, 105, 108; **3**, 140, 141; **4**, 4, 49, 70; **5**, 87, 89, 101, 102, 114, 129, 130, 156
Wright's as a differential spore stain, **3**, 140
Wright's stain, combined with peroxidase reaction, for blood films, **5**, 101
Wright, William H. A discussion of some of the factors causing variable results with flagella stains, **3**, 14
Wright's stain, status of, and some suggestions as to its use, **2**, 105

Yeasts and bacteria, some staining methods for, **4**, 21
Yellow, **5**, 43

Zeissig, Alexander. A note on the Gram stain, **4**, 91
Ziehl's acid carbol fuchsin, **3**, 16, 33
Ziehl-Neelson carbol fuchsin, **2**, 109; **5**, 151
Zirkle, C. The use of n-butyl alcohol in dehydrating woody tissue for parafin embedding (abs), **5**, 116